



**AGRISOURCE**  
PRODUCTS FOR AGRICULTURE

**WARNING**  
**KEEP OUT OF THE**  
**REACH OF CHILDREN**  
**ECOTOXIC**

# ***CYCURE***<sup>®</sup>

**A seed tuber treatment fungicide for the control of  
black scurf and stem canker in potatoes**

*Contains 250g/litre pencycuron in the form of a suspension concentrate*

GROUP

20

FUNGICIDE

**FREE RECYCLING**



**AGRECOVERY**

[www.agrecovery.co.nz](http://www.agrecovery.co.nz)

**NET CONTENTS**  
**10 Litres**

# READ LABEL COMPLETELY BEFORE USE

HSNO CLASSIFICATIONS: 6.9B, 9.1B



## WARNING

May cause organ damage from repeated oral exposure at high doses.

## ECOTOXIC

Toxic to aquatic organisms with long-lasting effects. Avoid contamination of any water supply with product or empty container.

## HANDLING PRECAUTIONS

**Personal Protection:** When mixing or applying, avoid contact with skin and eyes. Wear full protective clothing, gloves and goggles. Do not eat or drink while using. Wash hands and face before meals and after work. Wash protective clothing after work.

**Equipment:** Apply using accurately calibrated and maintained equipment in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409). Flush spray equipment thoroughly with water after use.

**Storage:** Store in original container tightly closed and in a locked, dry, cool, well ventilated area away from fertilisers, feed, seeds and foodstuffs. Keep out of reach of children. Store in accordance with NZ 8409 Management of Agrichemicals.

**Shelf Life:** When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

**Spillage:** Move non-essential people from the area. Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Sweep up solids without creating dust. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

**Product Disposal:** Dispose of unwanted product by use by another operator strictly in accordance with label directions.

**Container Disposal:** Triple rinse container and add rinsate to spray tank. Dispose of cleaned container at your local AGRECOVERY container collection site. Do not use container for any other purpose.

**Safety Data Sheet:** Additional information is provided in the SDS available from your supplier.

## FIRST AID

If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 Poison (0800764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If concentrate is splashed in the eyes, flush with running water immediately.

## EMERGENCY RESPONSE

In a transport emergency call 111, Police or Fire Brigade.

## GENERAL INFORMATION

**Cycure** applied as a spray seed treatment to potato tubers, controls *Rhizoctonia solani* (black scurf and stem canker). It controls infection on the seed tuber and offers protection against re-infection from the soil.

**Cycure treated seed must not be used for human or animal consumption.**

**It is an offence to use this product on animals.**

## MIXING

Prior to mixing or decanting ensure the container is well shaken or rolled to resuspend the formulation.

Containers of treated seed must be labeled accordingly.

## USE

Apply to high quality, undamaged seed, through a properly calibrated seed treatment/roller table to ensure even coverage.

Ensure spray mixture is thoroughly agitated before commencing treatment, during treatment and after a stoppage.

Treated tubers should be planted immediately or left outside to dry – stored wet tubers are more susceptible to bacterial soft rots.

## IMPORTANT - RESISTANCE MANAGEMENT

Cycure contains the GROUP 2B FUNGICIDE pencycuron. Resistance to pesticides can develop from excessive use. To minimise this risk, avoid using this fungicide exclusively all season, avoid unnecessary spraying and endeavour to alternate with fungicides from other groups within the crop and in subsequent seasons for a sprayed paddock. Use strictly in accordance with label instructions. Maintain good cultural practices.

## APPLICATION RATE

Mix 600 mls of **Cycure** in 0.5 – 2.5lts of water and apply to one tonne of tubers.

**It is an offence for the users of this product to cause residues exceeding the relevant MRL in the NZ (Maximum Residues of Agricultural Compounds) Food Standard.**

## CONDITIONS OF SUPPLY

All goods supplied by us are produced under rigid quality control procedures which assure the purchaser that at the time of sale they are physically suitable for use in the manner stated. However, to the extent permitted by law, buyers and/or users of the goods accept that neither the manufacturer, Agri Solutions Ltd as registrant, nor any other distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of these goods.

Registered pursuant to the ACVM Act 1997 No. P8399

See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

Approved pursuant to HSNO Act 1996 No. HSR000608

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions

© Cycure is the registered Trademark of Agri Solutions Ltd

## REGISTRANT

Agri Solutions Ltd  
Level 1, 26 Crummer Road,  
Grey Lynn, Auckland 1021

BATCH NO:

## DISTRIBUTOR

Agrisource (2000) Ltd  
45 Kitchener Road, Pukekohe 2120  
09 237 0442 · [www.agrisource.co.nz](http://www.agrisource.co.nz)

DATE OF  
MANUFACTURE:

# 24 HOUR EMERGENCY RESPONSE 0800 CHEMCALL (0800 243 622)